



- Weighted head for effective glass penetration for hardened or laminated Car glass.
- Saw function for effective cutting of laminated glass.
- Integrated seatbelt-cutter for rapid extrication.
- Full Hardened Steel Heads 61-HRC Hardness Rockwell C-Scale.
- Made in the USA.
- Carerake can be used to immediately deflate vehicle tires by targeting the tire sidewall causing immediate loss of pressure.

Product information	
Prod Nr	MOE-030
Prod Name	Car Rake
HS code	8205598000
Nato stock nr	
Mateial	Steel
Color	Black

Product dimension	
Length	495 mm
Depth	
Height	
Weight	1.6 kg
Package dimension	
Length	185 mm
Width	70 mm
Height	520 mm
Weight	1.8 kg



1. Belt Cutter
2. Sharp teeth
3. Full tempered spike
4. Hand Guard

MOE-018 Car Rake Pocket



Product information

Prod Nr	MOE-018
Prod Name	Car Rake Pocket
HS code	
Nato stock nr	
Mateial	
Color	

Product dimension

Length:	
Depth	
Height	
Weight	

Package dimension

Length	560 mm
Width	230 mm
Height	40 mm
Weight	0.28 kg

The Car Rake Pocket allows the user to securely store the tool inside a vehicle, using molle or velcro.

50337 Cutting Blades for Car Rake


Product information

Prod Nr	50337
Prod Name	Cutting Blades for Car Rake (10pcs)



Värmebehandlingsintyg

Provdatum:	2020-10-19	Härddjup Krav:	
Arbetsordernummer:	538720	Ythårdhet Krav:	
Charge:		Ythårdhet:	Ca 61 HRC
Kund:	Sweden Entry Tools AB	Kärnhårdhet Krav:	
Kunds order nr:	2020-08-10	Kärnhårdhet:	
Kundens ref:	Lars Ingesson	Korngränsoxider:	
Vår ref:		Restaustenit:	
Material:		Operatör:	Stefan Bengtsson
Benämning:	Car Rake	Godkänd:	
Detalj nr:			
Övrigt:			



	Position	Testmetod	Härddjup@	DC/DI	1:a intryck
	1.) Spets	HV 1	550	0,00	718

R = Ommätt värde

Datum: 19.10.2020

Signatur: _____