



- Full Hardened Steel Heads 63-HRC Hardness Rockwell C-Scale.
- The special design of the tool head allows the tool to easily penetrate all types of glass.
- Once penetration of the glass is achieved, the elongated teeth and the D-Ring shaped rubber grip handle allows the operator to create openings in laminated security glass quickly and efficiently.
- The saw function can clear away glass fragments for a safe entry through a window.
- The connector makes the tool collapsible for easier storage.

Product information	
Prod Nr	MOE-070
Prod Name	Break'n Rake Compact
HS code	8205598000
Material	Hydraulic pipe Steel shaft with . carbonized full hardened steel alloy
Color	Powder coated black

Product dimension	
Length	1345 mm
Width	190 mm
Height	75 mm
Weight	3.82 kg
Length collapsed	670 + 730 mm



1. Stroke lace
2. Saw function
3. Connector
4. D-handle

MOE-022 Holster for Break'n Rake Compact




Product information

Prod Nr	MOE-022
Prod Name	Holster for Break'n Rake Compact
Weight	0.75 kg



Värmebehandlingsintyg

Provdatum:	2020-10-19	Härddjup Krav:	
Arbetsordernummer:	538720	Ythårdhet Krav:	
Charge:		Ythårdhet:	Ca 63 HRC
Kund:	Sweden Entry Tools AB	Kärnhårdhet Krav:	
Kunds order nr:	2020-08-10	Kärnhårdhet:	
Kundens ref:	Lars Ingesson	Korngränsoxider:	
Vår ref:		Restaustenit:	
Material:		Operatör:	Stefan Bengtsson
Benämning:	Break' Rake	Godkänd:	
Detalj nr:			
Övrigt:			



	Position	Testmetod	Härddjup@	DC/DI	1:a intryck
	1.) Spets	HV 1	550	0,00	780
R = Ommäitt värde					

Datum: 19.10.2020

Signatur: _____