

FEATURES

- * This belt is designed to minimize discomfort when carrying heavy loads around your hips.
- * It features an ergonomically designed and padded belt with three MOLLE bands sewn on the outside, providing comfort for carrying various pouches or holsters.
- * The inner belt can be positioned on the outside of one or more panels, allowing for the attachment of a pistol holster.
- * An inside 25 mm band is sewn under the panels; use it to attach a leg panel if needed. This prevents the leg panel band from obstructing other pouches on the belt.
- * The belt can accommodate ballistic panels for added protection.
- * Equipped with a 3-point security buckle to prevent unintended opening.
- * The adjuster makes it easy to resize the equipment belt when transitioning from heavy winter clothing to lighter attire.

VERSIONS (BLACK)

13-00327-01-010	XSmall
13-00327-01-011	Small
13-00327-01-012	Medium
13-00327-01-013	Large
13-00327-01-014	XLarge
13-00327-01-015	XXLarge

DIMENSIONS:

XS= 65-93 cm, S= 75-103 cm,
M= 85-113 cm, L= 95 -123 cm,
XL= 105-133 cm, XXL= 120-148 cm

WEIGHT

500 g in Medium.



All our pouches are designed to interact with the Comfort belt to make it as comfortable as possible to carry all you need.



The belt adjuster is included in the comfort belt. It makes it easy to adjust the size of the belt when you are putting on or taking off clothes.



A three point security buckle and an extra security strap makes it nearly impossible to accidentally open the belt.



To attach a pistol holster that is not MOLLE compatible do the following:
1. Remove the buckles.



2. Pull out the 50 mm webbing from the buckle.



3. Pull out the 50 mm webbing from the belt.



4. The 50 mm webbing is pulled out.



5. Attach the holster on the 50 mm webbing.



6. Push in the 50 mm webbing inside the belt again and attach it in all the buckles again.



The three point security buckle must be closed correctly.
This picture shows the **WRONG** way.



This is how the buckle should be closed.
The sides must be aligned.



The pouches can be attach at different heights. This pouch is attached low.



Here the pouch is attached high



All our black pouches can be used on the belt.



Velcro strap

A self-adhesive Velcro band comes with the belt. Cut a piece of it to attach on the back of non snigel pouches. This is important to do to keep the inner and outer belts together.



Attach the pad

Remove the protective tape and secure the Velcro at the height of the Velcro strap.



The self-adhesive Velcro tape adheres well to the plastic and leather, but may have difficulty adhering to the synthetic bands.

Rub the surface with a fine sandpaper. Then attach the self-adhesive Velcro tape.



The Equipment belt harness -10 is used to support the Police equipment belt. It is attached with Velcro patches between the outer and inner belt.



The Equipment belt harness -10 can move some weight from your hips to your shoulders.



On the Equipment belt harness -10 you can also attach the radio microphone and secure the cable for it.

COMPOSITION.

The belt is made in 100% polyamide fabric with PU coating.
The webbing is 100% polyester.
The foam is 100% polyethylene.

WASHING

Remove the foam padding from the belt and dry it off with a damp cloth. Let it dry. Keep out of the sunshine.
Preferred wash of the sleeve and belt is to rinse under running water and then rub it with a mild soap solution.
Rinse again in running water until all soap has been removed. Let dry in the air.
If very dirty the sleeve and belt can be washed in a washing machine at 40 degrees. Use a normal washing detergent. Do not spin dry.
Dry hanging in the air.
No dry cleaning.
No tumble drying.

DISINFECTION

The sleeve and belt can be disinfected with alco spray.
Take the belt apart
Spray all parts with Alco spray.
Rinse in running water 2 minutes after using the alco spray.
Dry hanging in the air.

