




- Multifunctional prybar for both in and outward going doors
- Traction teeth for minimize slippage
- Wedge shaped head to create a separation between the door and the frame
- Forked prybar end for high leverage prying
- Made of high-strength, low-weight hydraulic steel pipe
- Full hardened Swedish steel heads, 52 HRC Hardness Rockwell C-Scale.
- Clear painted head
- Rust protected paint
- Length is adapted for easier carrying

Product information	
Prod Nr	MOE-066
Prod Name	P5
HS code	8205598000
Nato stock nr	
Mateial	Steel
Color	Black

Product dimension	
Length	520 mm
Weight	1950g



- 1. Very strong Pryhead
- 2. Slim designed Clawhead
- 3. Wedge shaped head with milled grooves
- 4. Large impact plate
- 5. 25 mm tube

MOE-000 P5 Holster




Product information

Prod Nr	MOE-000
Prod Name	P5 Holster



Värmebehandlingsintyg

Provdatum:	2020-10-19	Härddjup Krav:	
Arbetsordernummer:	538720	Ythårdhet Krav:	
Charge:		Ythårdhet:	P=Ca 51 HRC R=Ca 48 HRC S=Ca 52 HRC
Kund:	Sweden Entry Tools AB	Kärnhårdhet Krav:	
Kunds order nr:	2020-08-10	Kärnhårdhet:	
Kundens ref:	Lars Ingesson	Korngränsoxider:	
Vår ref:		Restaustenit:	
Material:		Operatör:	Stefan Bengtsson
Benämning:	Multipry P7	Godkänd:	
Detalj nr:			
Övrigt:			



	Position	Testmetod	Härddjup@	DC/DI	1:a intryck
	1.) Plan yta	HV 1	550	0,00	517
	2.) Rör	HV 1	550	0,00	488R
	3.) Spets	HV 1	550	0,00	550

R = Ommänt värde

Datum: 19.10.2020

Signatur: _____